Application of the resolution of the characteristic-free resolution of Weyl module to Lascoux resolution in case (6,6,3)

Haytham R. Hassan, Mays M. Mohammed

Abstract— In this paper we study the relation between the resolution of Weyl module $K_{(6,6,2)}F$ in characteristic-free mode and in the Lascoux mode (characteristic zero), more precisely we obtain the Lascoux resolution of $K_{(6,6,3)}F$ in characteristic zero as an application of the resolution of $K_{(6,6,3)}F$ in characteristic-free.

Index Terms— Resolution, weyl module, Lascoux module, divided power, characteristic-free.

I. INTRODUCTION

Let R be commutative ring with 1 and F be free R-module by $D_n F$ we mean the divided power of degree n. we used the resolution of the three-rowed skew-shape $(p+t_1+t_2,q+t_2,r)/(t_1+t_2,t_2,0)$, and in our $t_1 = t_2 = 0$, namely, the shape represented by the diagram



In [7], the description of the characteristic zero skeleton by Lascoux in the resolution of skew-shapes. Practically the terms of Lascoux resolution can be recovered with in the formula offered in [3] and [8]. Furthermore in [1], by using letter-place methods and place polarization in a symmetric way we get the application of the results mentioned above. For the corresponding Weyl module to the partition $\lambda = (2,2,2)$ the relation between resolution of $K_{(2,2,2)}(F)$ in the characteristic-free module and in the Lascoux mode (characteristic zero) are studied. By this comparison, the characteristic-free boundary maps are modified to obtain the obvious maps of the Lascoux case. One of the generalization of the techniques used in [2] for the partition λ =(3,3,3) by Hatham R. Hassan.

In section two, we review the terms of characteristic-free resolution of Weyl module in the case of the partition (6,6,3).

In section three we apply this resolution to the Lascoux resolution in the same case by using the way in [1] and [2] with capelli identities [3].

Haytham R. Hassan, PhD. in mathematics from roma university. Asst.prof . Department of Math science , Al-Mustansiriyah University / Science College, Baghdad, Iraq, Mobile No.009647711491460

Mays M. Mohammed, Master student, Department of Math science, Al-Mustansiriyah University / Science College, Baghdad, Iraq, Mobile NO. 009647714187543

CHARACTERISTIC-FREE RESOLUTION OF THE PARTITION (6,6,3)

We will use the terms of the resolution for three -rowed partition (p,q,r) to discuss our research.

The terms of the resolution are:

Res
$$([p,q;0]) \otimes D_r \oplus \sum_{l \ge 0} \underline{Z}_{22}^{(l+1)} y \operatorname{Res} ([p,q+l+1;l+1])$$

Res $\otimes D_{r-l-1} \oplus \sum_{l_1 \ge 0, l_2 \ge l_1} \underline{Z}_{22}^{(l_2+1)} y \underline{Z}_{21}^{(l_1+1)} z$
 $([p+l_1+1,q+l_2+1,l_2-l_1]) \otimes D_{r-(l_1+l_2+2)}$

In particular, if we consider the case when p=q=6, r=2from above we get

$$\begin{aligned} & \mathbf{Res}([6,6,0]) \otimes \mathcal{D}_{z} \oplus \sum_{l \ge 0} \underline{Z}_{zz}^{(l+1)} y \\ & \mathbf{Res}([6,6+l+1;l+1]) \otimes \mathcal{D}_{z-l-1} \oplus \sum_{l_{z} \ge 0, l_{z} \ge l_{z}} \underline{Z}_{zz}^{(l_{z}+1)} y \underline{Z}_{zz}^{(l_{z}+1)} z \\ & \mathbf{Res}([6+l_{z}+1,6+l_{z}+1,l_{z}-l_{z}]) \otimes \mathcal{D}_{z-(l_{z}+l_{z}+z)} \\ & (3.1.1) \end{aligned}$$

 $\begin{aligned} &\mathbf{Res}([6,6+l+1;l+1]) \otimes \mathcal{D}_{2-l-1} \ \Sigma_{l \ge 0} \underline{\mathcal{Z}}_{22}^{(l+1)} y \\ = &\underline{\mathcal{Z}}_{22} y \, \mathbf{Res}([6,7;1]) \otimes \mathcal{D}_{2} \oplus \underline{\mathcal{Z}}_{22}^{(2)} y \, \mathbf{Res}([6,8;2]) \otimes \mathcal{D}_{1} \oplus \underline{\mathcal{Z}}_{22}^{(2)} y \end{aligned}$ $Res([6,9;3]) \otimes D_{\circ}$

$$\begin{split} &\sum_{l_1 \ge 0, l_2 \ge l_1} \underline{z}^{(l_2+1)}_{22} y \, \underline{z}^{(l_1+1)}_{21} z \\ &\mathbf{Res}([6+l_1+1, 6+l_2+1; l_2-l_1]) \otimes D_{z-(l_1+l_2+2)} \\ &= \underline{z}_{zz} y \, \underline{z}_{zz} z \, \mathbf{Res}([7,7;0]) \otimes D_1 \oplus \underline{z}^{(2)}_{zz} y \, \underline{z}_{zz} z \, \mathbf{Res}([7,8;1]) \otimes D_0 \end{split}$$

$$0 \longrightarrow Z_{32}y \xrightarrow{\theta_y} Z_{32} \longrightarrow 0$$
is the bar complex $Z_{32}^{(2)}y$

$$0 \longrightarrow Z_{32}yZ_{32}y \xrightarrow{\theta_y} Z_{32}^{(2)}y \xrightarrow{\theta_y} Z_{32}^{(2)} \longrightarrow 0$$
is the bar complex $Z_{32}^{(2)}y \xrightarrow{\theta_y} Z_{32}^{(2)} \longrightarrow 0$

$$= \underbrace{Z_{32}y}_{231}z \operatorname{Res}([7,7;0]) \otimes D_1 \oplus \underbrace{Z_{32}^{(2)}y}_{231}z \operatorname{Res}([7,8;1]) \otimes D_2$$
Where $\underbrace{Z_{32}y}_{0}$ is the bar complex
$$0 \to Z_{32}y \xrightarrow{\partial_y} Z_{32} \to 0$$
is the bar complex $\underbrace{Z_{32}^{(2)}y}_{0} \to Z_{32}y \xrightarrow{\partial_y} Z_{32}^{(2)}y \xrightarrow{\partial_y} Z_{32}^{(2)} \to 0$
is the bar complex $\underbrace{Z_{32}^{(3)}y}_{0} \to Z_{32}y \xrightarrow{\partial_y} Z_{32}^{(2)}y \xrightarrow{\partial_y} Z_$

and $\mathbb{Z}_{31}\mathbb{Z}$ is the bar complex

$$0 \longrightarrow Z_{31} Z \xrightarrow{\partial_z} Z_{31} \longrightarrow 0$$

Where x, y and z stand for the separator variables, and the boundary map is $\partial_x + \partial_y + \partial_z$.

Let again Bar(M,A;S) be the free bar module on the set $S = \{x, y, z\}$ consisting of three separators x, y and z, where A is the free associative (non-commutative) algebra generated by Z_{21}, Z_{32} and Z_{31} and their divided powers with the following

and
$$Z_{21}^{(a)}Z_{31}^{(b)} = Z_{31}^{(b)}Z_{21}^{(a)}Z_{32}^{(a)}Z_{31}^{(b)} = Z_{31}^{(b)}Z_{32}^{(a)}$$
 and the module M is the direct sum of tensor products of divided power module $D_{P_1} \otimes D_{P_2} \otimes D_{P_3}$ for suitable P_1, P_2 and P_3 with the action of Z_{21}, Z_{32} and Z_{31} and their divided powers

Now, from all of the above, we can explicitly describe the terms of the characteristic-free resolution (3.1.1), which are as follows:

- In dimension zero (M_0) we have $D_6 \otimes D_6 \otimes D_3$
- \circ In dimension one (M_1) we have
- Z₂₁^(b)xD_{6+b} ⊗ D_{6-b} ⊗ D₃ with b=1,2,3,4,5,6 $Z_{32}^{(b)}yD_6 \otimes D_{6+b} \otimes D_{3-b}$
- \circ In dimension two (M_2) we have the sum of the following
- $Z_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{6-|b|} \otimes D_3$ with $|b| = b_1 + b_2 = 2,3,4,5,6.$
- $Z_{32}yZ_{21}^{(b)}xD_{6+b} \otimes D_{7-b} \otimes D_2$; with b=2,3,4,5,6,7.
- $Z_{32}^{(2)}yZ_{21}^{(b)}xD_{6+b} \otimes D_{8-b} \otimes D_{1}$; with b=3,4,5,6,7,8.
- $Z_{32}^{(b_1)} y Z_{32}^{(b_2)} y D_6 \otimes D_{6+|b|} \otimes D_{3-|b|}$; with b=2,3.
- $Z_{32}^{(3)}yZ_{21}^{(6)}xD_{6+b}\otimes D_{9-b}\otimes D_0$; with b=4,5,6,7,8,9.
- $Z_{32}^{(b)} y Z_{31} z D_7 \otimes D_{6+b} \otimes D_{2-b}$; with b=1,2.
- \circ In dimension three (M_2) we have the sum of the following
- $Z_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{6-|b|} \otimes D_3$ with $|b| = b_1 + b_2 + b_3 = 3,4,5,6.$
- $Z_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{7-|b|} \otimes D_2$; with $|b| = b_1 + b_2 = 3,4,5,6,7.$
- $Z_{32}^{(2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{9-|b|} \otimes D_1$; with
- $$\begin{split} |b| &= b_1 + b_2\!\!=\!\!4,\!5,\!6,\!7,\!8. \\ \bullet \; Z_{32}y Z_{32}y Z_{21}^{(b)} x D_{6+b} \otimes D_{9-b} \otimes D_1 \end{split}$$
 ; with b=3,4,5,6,7,8.
- $Z_{32}^{(3)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{9-|b|} \otimes D_0$ $|b| = b_1 + b_2 = 5,6,7,8,9.$
- ; with b=4,5,6,7,8,9.
- ; with b=4,5,6,7,8,9.
- $\begin{array}{l} \bullet \ Z_{32}yZ_{32}yZ_{32}yD_{6}\otimes D_{9}\otimes D_{0} \\ \bullet \ Z_{32}^{(2)}yZ_{32}yZ_{21}^{(b)}xD_{6+b}\otimes D_{9-b}\otimes D_{0} \\ \bullet \ Z_{32}yZ_{32}^{(2)}yZ_{21}^{(b)}xD_{6+b}\otimes D_{9-b}\otimes D_{0} \\ \bullet \ Z_{32}yZ_{32}^{(2)}yZ_{21}^{(b)}xD_{6+b}\otimes D_{9-b}\otimes D_{0} \\ \bullet \ Z_{32}yZ_{31}zZ_{21}^{(b)}xD_{7+b}\otimes D_{7-b}\otimes D_{1} \end{array}$; with
- b=1,2,3,4,5,6,7.
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(b)}xD_{7+b}\otimes D_{8-b}\otimes D_{0}$; with b=2,3,4,5,6,7,8.
- Z₃₂yZ₃₂yZ₃₁zD₇ ⊗ D₉ ⊗ D₀
- \circ In dimension four (M_4) we have the sum of the following
- $Z_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xD_{6+|b|} \otimes D_{6-|b|} \otimes D_3$; with $|b| = b_1 + b_2 + b_3 + b_4 = 4,5,6.$
- $\bullet \ Z_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xD_{6+|b|}\otimes D_{7-|b|}\otimes D_2$; with $|b| = b_1 + b_2 + b_3 = 4.5.6.7$ and $b_1 \ge 2$.
- $Z_{32}^{(2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{9-|b|} \otimes D_1$; with $|b| = b_1 + b_2 + b_3$ and $b_1 \ge 3$.
- $Z_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{9-|b|} \otimes D_1$; with $|b| = b_1 + b_2 = 4,5,6,7,8$ and $b_1 \ge 3$.
- $\bullet \ Z_{32}^{(3)} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_2)} x D_{6+|b|} \otimes D_{9-|b|} \otimes D_0$; with
- $\begin{array}{l} |b| = b_1 + b_2 + b_3 = 6,7,8,9 \text{ and } b_1 \geq 4. \\ \bullet \ Z_{32}yZ_{32}yZ_{32}yZ_{21}^{(b)}xD_{6+b} \otimes D_{9-b} \otimes D_0 \end{array}$; with b=4,5,6,7,8,9.
- $\bullet \ Z_{32}^{(2)} y Z_{32} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x D_{6+|b|} \otimes D_{9-|b|} \otimes D_0 \\$; with $|b| = b_1 + b_2 = 5,6,7,8,9 \text{ and } b_1 \ge 4.$
- $\bullet \ Z_{32}yZ_{32}^{(2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{6+|b|}\otimes D_{9-|b|}\otimes D_0$; with $|b| = b_1 + b_2 = 5,6,7,8,9 \text{ and } b_1 \ge 4.$
- $Z_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{7+|b|} \otimes D_{7-|b|} \otimes D_1$; with $|b| = b_1 + b_2 = 2,3,4,5,6,7.$
- $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{7+|b|} \otimes D_{9-|b|} \otimes D_0$; with $|b| = b_1 + b_2 = 3,4,5,6,7,8$ and $b_1 \ge 2$.
- $Z_{32}yZ_{32}yZ_{31}zZ_{21}^{(b)}xD_{7+b} \otimes D_{8-b} \otimes D_{0}$; with b=2,3,4,5,6,7,8.
- \circ In dimension five (M_5) we have the sum of the following terms:

- $\bullet \ Z_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}xD_{6+|b|}\otimes D_{6-|b|}\otimes D_3$ $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 5,6.$
- $Z_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xD_{6+|b|} \otimes D_{7-|b|} \otimes D_2$; with
- $\begin{array}{l} |b| = b_1 + b_2 + b_3 + b_4 = 5,6,7 \text{ and } b_1 \geq 2. \\ \bullet \ Z_{22}^{(2)} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_2)} x Z_{21}^{(b_4)} x D_{6+|b|} \otimes D_{8-|b|} \otimes D_1 \end{array}$: with
- $\begin{array}{l} |b| = b_1 + b_2 + b_3 + b_4 = 6, 7, 8 \text{ and } b_1 \geq 3. \\ \bullet \ Z_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{8-|b|} \otimes D_1 \end{array}$; with $|b| = b_1 + b_2 + b_3 = 5,6,7,8$ and $b_1 \ge 3$.
- $\begin{array}{l} \bullet \ Z_{32}^{(3)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xD_{6+|b|}\otimes D_{9-|b|}\otimes D_0\\ |b|=b_1+b_2+b_3+b_4=7,8,9 \ \text{and} \ b_1\geq 4. \end{array}$; with
- $\bullet \ Z_{32}yZ_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{6+|b|}\otimes D_{9-|b|}\otimes D_0$; with $|b| = b_1 + b_2 = 5,6,7,8,9$ and $b_1 \ge 4$.
- $\bullet \ Z_{32}^{(2)} y Z_{32} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_2)} x D_{6+|b|} \otimes D_{9-|b|} \otimes D_0$: with $|b| = b_1 + b_2 + b_3 = 6,7,8,9 \text{ and } b_1 \ge 4.$
- $Z_{32}yZ_{32}^{(2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{9-|b|} \otimes D_0$; with $|b| = b_1 + b_2 + b_3 = 6,7,8,9$ and $b_1 \ge 4$.
- $\bullet \; Z_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xD_{7+|b|} \otimes D_{7-|b|} \otimes D_1$: with $|b| = b_1 + b_2 + b_3 = 3,4,5,6,7.$
- $\bullet \ Z_{32}^{(2)} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_2)} x D_{7+|b|} \otimes D_{9-|b|} \otimes D_0$; with $|b| = b_1 + b_2 + b_3 = 4,5,6,7,8$ and $b_1 \ge 2$.
- $Z_{32}yZ_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xD_{7+|b|} \otimes D_{8-|b|} \otimes D_0$; with $|b| = b_1 + b_2 = 4,5,6,7,8$ and $b_1 \ge 2$.
- \circ In dimension six (M_6) we have the sum of the following
- $\bullet \ Z_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}xD_{6+|b|}\otimes D_{7-|b|}\otimes D_2$ with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 6.7$ and $b_1 \ge 2$.
- $\bullet \ Z_{32}^{(2)} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_2)} x Z_{21}^{(b_1)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x D_{6+|b|} \otimes D_{9-|b|} \otimes D_1 \quad ;$ with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 7.8$ and $b_1 \ge 3$.
- $Z_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xD_{6+|b|} \otimes D_{8-|b|} \otimes D_1$ with $|b| = b_1 + b_2 + b_3 + b_4 = 6,7,8$ and $b_1 \ge 3$.
- $\bullet \ Z_{32}^{(3)} y Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_2)} x Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_2)} x D_{6+|b|} \otimes D_{9-|b|} \otimes D_0 \\$ with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 8.9$ and $b_1 \ge 4$.
- $Z_{32}yZ_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xD_{6+|b|} \otimes D_{9-|b|} \otimes D_0$; with $|b| = b_1 + b_2 + b_3 = 6,7,8,9$ and $b_1 \ge 4$.
- $Z_{32}^{(2)}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xD_{6+|b|} \otimes D_{9-|b|} \otimes D_0$ with $|b| = b_1 + b_2 + b_3 + b_4 = 7.8.9$ and $b_1 \ge 4$.
- $Z_{32}yZ_{32}^{(2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xD_{6+|b|} \otimes D_{9-|b|} \otimes D_0$ with $|b| = b_1 + b_2 + b_3 + b_4 = 7,8,9$ and $b_1 \ge 4$.
- $\bullet \ Z_{32}yZ_{31}Z_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xD_{7+|b|}\otimes D_{7-|b|}\otimes D_1$ with $|b| = b_1 + b_2 + b_3 + b_4 = 4,5,67$.
- $\bullet \ Z_{32}^{(2)} y Z_{31} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x D_{7+|b|} \otimes D_{8-|b|} \otimes D_0$ with $|b| = b_1 + b_2 + b_3 + b_4 = 5,67,8$ and $b_1 \ge 2$.
- $Z_{32}yZ_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_1)}xZ_{21}^{(b_1)}xD_{7+|b|} \otimes D_{9-|b|} \otimes D_0$ with $|b| = b_1 + b_2 + b_3 + b_4 = 4,5,67,8$ and $b_1 \ge 2$.
- \circ In dimension seven (M_7) we have the sum of the following
- $\bullet \ Z_{32}yZ_{21}^{(2)}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xD_{13} \otimes D_0 \otimes D_2$
- $\bullet \ Z_{32}^{(2)} y Z_{21}^{(3)} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x Z_{21} x D_{14} \otimes D_0 \otimes D_1$
- $Z_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}xD_{6+|b|}\otimes D_{8-|b|}\otimes D_1$; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 7.8$ and $b_1 \ge 3$.
- $Z_{32}^{(3)}yZ_{21}^{(4)}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xD_{15} \otimes D_0 \otimes D_0$
- $\bullet \ \ Z_{32}yZ_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xD_{6+|b|}\otimes D_{9-|b|}\otimes D_0$; with $|b| = b_1 + b_2 + b_3 + b_4 = 7.8.9$ and $b_1 \ge 4$.
- $Z_{32}^{(2)}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}xD_{6+|b|}\otimes D_{9-|b|}\otimes D_0$; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 8.9$ and $b_1 \ge 4$.

 $Z_{32}yZ_{32}^{(2)}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}xD_{6+|b|}\otimes D_{9-|b|}\otimes D_0$; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 8.9$ and $b_1 \ge 4$.

• $Z_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}xD_{7+|b|} \otimes D_{7-|b|} \otimes D_1$; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 5,6,7$.

 $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}xD_{7+|b|} \otimes D_{8-|b|} \otimes D_0$; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 6.7.8$ and $b_1 \ge 2$.

• $Z_{32}yZ_{32}yZ_{31}zZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_3)}xZ_{21}^{(b_4)}xD_{7+|b|} \otimes D_{8-|b|} \otimes D_0$; with $|b| = b_1 + b_2 + b_3 + b_4 = 5,6,7,8$ and $b_1 \ge 2$.

 \circ In dimension eight (M_{\circ}) we have the sum of the following

• $Z_{32}yZ_{32}yZ_{21}^{(3)}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xD_{14} \otimes D_0 \otimes D_1$

 $Z_{32}yZ_{32}yZ_{32}yZ_{21}^{(b_1)}xZ_{21}^{(b_2)}xZ_{21}^{(b_2)}xZ_{21}^{(b_4)}xZ_{21}^{(b_4)}xZ_{21}^{(b_5)}xD_{6+|b|}\otimes D_{9-|b|}\otimes$

; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 8.9$ and $b_1 \ge 4$.

 $\begin{array}{l} \bullet \ Z_{32}^{(2)}yZ_{32}yZ_{21}^{(4)}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xD_{15}\otimes D_0\otimes D_0\\ \bullet \ Z_{32}yZ_{32}^{(2)}yZ_{21}^{(4)}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xD_{15}\otimes D_0\otimes D_0 \end{array}$

 $\bullet Z_{32} Y Z_{31} z Z_{31}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x Z_{21}^{(b_5)} x Z_{21}^{(b_5)} x D_{7+|b|} \otimes D_{7-|b|} \otimes D_{1}$

; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 + b_6 = 6,7$. • $Z_{12}^{(2)} y Z_{11} z Z_{11}^{(b_1)} x Z_{11}^{(b_2)} x Z_{11}^{(b_3)} x Z_{11}^{(b_4)} x Z_{11}^{(b_4)} x Z_{11}^{(b_4)} x Z_{11}^{(b_4)} x D_{7+|b|} \otimes D_{8-|b|} \otimes D_{0}$

; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 + b_6 = 7.8$ and $b_1 \ge 2$. • $Z_{12}yZ_{12}zZ_{11}^{(b_1)}xZ_{11}^{(b_2)}xZ_{11}^{(b_2)}xZ_{11}^{(b_2)}xZ_{11}^{(b_3)}xZ_{11}^{(b_3)}xD_{1+|b|} \otimes D_{5-|b|} \otimes D_{0}$; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 = 6,7,8$ and $b_1 \ge 2$.

 \circ In dimension nine (M_{\circ}) we have the sum of the following

• $Z_{32}yZ_{32}yZ_{32}yZ_{21}^{(4)}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xD_{15} \otimes D_0 \otimes D_0$

• $Z_{32}^{(2)}yZ_{31}zZ_{21}^{(2)}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xD_{15} \otimes D_0 \otimes D_0$

 $\bullet Z_{22} y Z_{22} y Z_{21} z Z_{21}^{(b_1)} x Z_{21}^{(b_2)} x Z_{21}^{(b_3)} x Z_{21}^{(b_4)} x Z_{21}^{(b_4)} x Z_{21}^{(b_5)} x Z_{21}^{(b_5)} x D_{7+|b|} \otimes D_{5-|b|} \otimes D_{0}$; with $|b| = b_1 + b_2 + b_3 + b_4 + b_5 + b_6 = 7.8$ and $b_1 \ge 2$.

 \circ In dimension ten (M_{10}) we have the sum of the following

• $Z_{12}yZ_{12}yZ_{11}zZ_{11}^{(2)}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xZ_{21}xD_{15} \otimes D_0 \otimes D_0$

III. LASCOUX RESOLUTION OF THE PARTITION (6,6,3)

The Lascoux resolution of the Weyl module associated to the partition (6,6,3) looks like this

$$D_1 \otimes D_2 \otimes D_3$$
 $D_4 \otimes D_4 \otimes D_4$
 $\oplus \qquad \oplus \qquad \oplus \qquad D_2 \otimes D_2 \otimes D_3 \rightarrow 0 \ 0 \rightarrow D_4 \otimes D_2 \otimes D_4 \rightarrow 0$
 $D_1 \otimes D_2 \otimes D_3 \otimes D_4 \otimes D_4 \otimes D_5 \otimes D_5$

where the position of the terms of the complex determined by the length of the permutations to which they corresponds. The correspondence between the terms of the resolution above and permutations is as follows

 $D_6F \otimes D_6F \otimes D_3F \leftrightarrow identity$

 $D_5F \otimes D_7F \otimes D_3F \leftrightarrow (12)$

 $D_6F \otimes D_2F \otimes D_7F \leftrightarrow (23)$

 $D_5F \otimes D_2F \otimes D_8F \leftrightarrow (123)$

 $D_1F \otimes D_7F \otimes D_7F \leftrightarrow (132)$

Now, the terms can be presented as below, following Buchsbaum method [1].

 $M_0 = A_0$

 $M_1 = A_1 \oplus B_1$

 $M_2 = A_2 \oplus B_2$

 $M_3 = A_3 \oplus B_3$

; for $j=4,5,6,7,8,9,10.M_j = B_j$

Where the A_{g} are the sums of the lascoux terms, and the B_{g} are the sums of the others.

Now, we define the map σ_1 from B_1 to A_1 as follows

• $Z_{21}^{(2)}x(v) \mapsto \frac{1}{2}Z_{21}x\partial_{21}(v)$; where


 $\begin{array}{lll} v \in D_{9} \otimes D_{4} \otimes D_{2} \\ \bullet & Z_{21}^{(3)} x(v) \mapsto \frac{1}{3} Z_{21} x \partial_{21}^{(2)}(v) & ; \text{ where } v \in D_{9} \otimes D_{3} \otimes D_{3} \\ \bullet & Z_{21}^{(4)} x(v) \mapsto \frac{1}{4} Z_{21} x \partial_{21}^{(3)}(v) & ; \text{ where } v \in D_{10} \otimes D_{2} \otimes D_{3} \\ \bullet & Z_{21}^{(5)} x(v) \mapsto \frac{1}{5} Z_{21} x \partial_{21}^{(4)}(v) & ; \text{ where } v \in D_{11} \otimes D_{1} \otimes D_{2} \\ \bullet & Z_{21}^{(5)} x(v) \mapsto \frac{1}{5} Z_{21} x \partial_{21}^{(4)}(v) & ; \text{ where } v \in D_{11} \otimes D_{1} \otimes D_{2} \\ \end{array}$

• $Z_{21}^{(6)}x(v) \mapsto \frac{1}{6}Z_{21}x\partial_{21}^{(5)}(v)$; where $v \in D_{12} \otimes D_0 \otimes D_3$

• $Z_{32}^{(2)}y(v) \mapsto \frac{1}{2}Z_{32}y\partial_{32}(v)$; where $v \in D_6 \otimes D_8 \otimes D_1$

• $Z_{32}^{(3)}y(v) \mapsto \frac{1}{2}Z_{32}y\partial_{32}^{(2)}(v)$; where $v \in D_6 \otimes D_9 \otimes D_0$

We should point out that the map σ_1 satisfies the identity: $\delta_{A_1A_0}\sigma_1 = \delta_{B_1B_0}$



Where by $\delta_{A_1A_0}$ we mean the component of the boundary of the fat complex which conveys A_1 to A_0 .

We will use notation $\delta_{A_{t+1}A_t} \delta_{A_{t+1}B_t}$ etc. Then we can define $\partial_1: A_1 \to A_0 \text{ as } \partial_1 = \delta_{A_1 A_0}$.

It is easy to show that ∂_1 which we defined above satisfies the condition (3.1), for example:

$$\left(\delta_{s_1s_0}\circ\sigma_1\right)\left(Z_{21}^{(1)}x(v)\right)=\delta_{s_1s_0}\left(\frac{1}{3}Z_{21}x\partial_{21}^{(2)}(v)\right)=\frac{1}{3}\left(\partial_{21}\partial_{21}^{(2)}(v)\right)=\partial_{21}^{(2)}(v)=\delta_{s_1s_0}\left(Z_{21}^{(2)}x(v)\right)$$

At this point we are in position to define

 $\partial_2: A_2 \to A_1$ by $\partial_2 = \delta_{A_2A_1} + \sigma_1 \delta_{A_2B_1}$.

Proposition(3.1): The composition $\partial_1 \circ \partial_2 = 0$ Proof:[1],[2]

$$\begin{array}{l} \partial_1 \circ \partial_2(m) = \delta_{A_1A_0} \circ (\delta_{A_2A_1}(m) + \sigma_1 \circ \delta_{A_2B_1}(m)) \\ = \delta_{A_1A_0} \circ \delta_{A_2A_1}(m) + \delta_{A_1A_0} \circ \sigma_1 \circ \delta_{A_2B_1}(m) \end{array}$$

But $\delta_{A_1A_0}\circ\sigma_1=\delta_{B_1B_0}$. Then we get

 $\partial_1 \circ \partial_2(m) = \delta_{A_1A_0} \circ \delta_{A_2A_1}(m) + \delta_{B_1B_0} \circ \delta_{A_2B_1}(m)$ Which equal to zero, because of the properties of the boundary map δ [1], so we get that $\partial_1 \partial_2 = 0$.

Now, we have to define a map $\sigma_2: B_2 \to A_2$ Such that

$$\delta_{B_2A_1} + \sigma_1 \circ \delta_{B_2B_1} = (\delta_{A_2A_1} + \sigma_1 \circ \delta_{A_2B_1}) \circ \sigma_2$$
 (3.2)

We define this map as follows:

where $v \in D_{12} \otimes D_0 \otimes D_3$

• $Z_{21}^{(2)} x Z_{21} x(v) \mapsto 0$; where $v \in D_9 \otimes D_2 \otimes D_2$

• $Z_{21}xZ_{21}^{(2)}x(v) \mapsto 0$; where $v \in D_9 \otimes D_3 \otimes D_3$

; where $v \in D_{10} \otimes D_2 \otimes D_3$

• $Z_{21}^{(3)} x Z_{21} x(v) \mapsto 0$ • $Z_{21}^{(2)} x Z_{21}^{(2)} x(v) \mapsto 0$ • $Z_{21}^{(2)} x Z_{21}^{(3)} x(v) \mapsto 0$; where $v \in D_{10} \otimes D_2 \otimes D_3$

; where $v \in D_{10} \otimes D_2 \otimes D_3$

; where $v \in D_{11} \otimes D_1 \otimes D_3$ • $Z_{21}^{(4)} x Z_{21} x(v) \mapsto 0$

• $Z_{21}^{(3)} x Z_{21}^{(2)} x(v) \mapsto 0$ • $Z_{21}^{(2)} x Z_{21}^{(3)} x(v) \mapsto 0$ • $Z_{21}^{(2)} x Z_{21}^{(4)} x(v) \mapsto 0$; where $v \in D_{11} \otimes D_1 \otimes D_2$

; where $v \in D_{11} \otimes D_1 \otimes D_3$

where $v \in D_{11} \otimes D_1 \otimes D_2$

• $Z_{21}^{(5)}xZ_{21}x(v) \mapsto 0$ where $v \in D_{12} \otimes D_0 \otimes D_3$

• $Z_{21}^{(4)}xZ_{21}^{(2)}x(v) \mapsto 0$ • $Z_{21}^{(3)}xZ_{21}^{(3)}x(v) \mapsto 0$ where $v \in D_{12} \otimes D_0 \otimes D_3$

```
• Z_{21}^{(2)}xZ_{21}^{(4)}x(v) \mapsto 0
                                                     ; where v \in D_{12} \otimes D_0 \otimes D_3
                                                                                                                                               = \frac{1}{2} Z_{21} x \partial_{32} \partial_{21}^{(2)}(v) - \frac{1}{2} Z_{21} x \partial_{21} \partial_{31}(v) + \frac{1}{2} Z_{21} x \partial_{21} \partial_{31}(v) -
• Z_{21}xZ_{21}^{(5)}x(v) \mapsto 0 ; where v \in D_{12} \otimes D_0 \otimes D_3
• Z_{32}yZ_{21}^{(3)}x(v) \mapsto \frac{1}{2}Z_{32}yZ_{21}^{(2)}x\partial_{21}(v); where
\begin{array}{l} v \in D_{9} \otimes D_{4} \otimes D_{2} \\ \bullet \ Z_{32}yZ_{21}^{(4)}x(v) \mapsto \frac{1}{6}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(2)}(v) \end{array} \; ; \; \text{where} \\ \end{array}
                                                                                                                                                = \frac{1}{2} Z_{21} x \partial_{32} \partial_{21}^{(2)}(v) + \frac{1}{6} Z_{21} x \partial_{21} \partial_{31}(v) - Z_{32} y \partial_{21}^{(3)}(v)
v \in D_{10} \otimes D_{2} \otimes D_{2}

• Z_{32}yZ_{21}^{(5)}x(v) \mapsto \frac{1}{10}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(3)}(v); where
                                                                                                                                               \left(\delta_{A_{2}A_{1}} - \sigma_{1}\delta_{A_{2}B_{1}}\right)\left(\frac{1}{2}Z_{32}y Z_{21}^{(2)}x\partial_{21}(v)\right)
                                                                                                                                                =\sigma_{1}(\tfrac{1}{2}Z_{21}^{(2)}x\partial_{32}\partial_{21}(v)+\tfrac{1}{2}Z_{21}x\partial_{32}\partial_{21}(v)-Z_{32}y\partial_{21}^{(3)}(v)
\begin{array}{l} v \in D_{11} \otimes D_2 \otimes D_2 \\ \bullet \ \ Z_{32} y Z_{21}^{(6)} x(v) \mapsto \frac{1}{15} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)} \end{array}
                                                                                        ; where
                                                                                                                                                = \frac{1}{6} Z_{21} x \partial_{21} \partial_{32} \partial_{21}(v) + \frac{1}{2} Z_{21} x \partial_{21} \partial_{31}(v) - Z_{32} y \partial_{21}^{(3)}(v)
\begin{array}{l} v \in D_{12} \otimes D_{1} \otimes D_{2} \\ \bullet \ Z_{32}yZ_{21}^{(7)}x(v) \mapsto \frac{1}{21}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(5)}(v) \quad ; \text{ where} \end{array}
                                                                                                                                               = \frac{1}{6} Z_{21} x \partial_{32} \partial_{21} \partial_{21}(v) - \frac{1}{6} Z_{21} x \partial_{21} \partial_{31}(v) + \frac{1}{2} Z_{21} x \partial_{21} \partial_{31}(v) -
\begin{array}{l} v \in D_{13} \otimes D_0 \otimes D_2 \\ \bullet \ Z_{32}^{(2)} y Z_{21}^{(3)} x(v) \mapsto \frac{1}{6} Z_{32} y Z_{21}^{(2)} x \partial_{21} \partial_{32}(v) + \frac{1}{2} Z_{32} y Z_{21}^{(2)} x \partial_{31}(v) \end{array}
                                                                                                                                                Z_{22}y\partial_{21}^{(3)}(v)
; where v \in D_9 \otimes D_5 \otimes D_1

• Z_{32}^{(2)} y Z_{21}^{(4)} x(v) \mapsto \frac{1}{12} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{32}(v) + \frac{1}{6} Z_{32} y Z_{21}^{(2)} x \partial_{31}(v)
                                                                                                                                                = \tfrac{1}{3} Z_{21} x \partial_{32} \partial_{21}^{(2)}(v) + \tfrac{1}{6} Z_{21} x \partial_{21} \partial_{31}(v) - Z_{32} y \partial_{21}^{(3)}(v)
                                                                                                                                                Proposition(3.2): we have exactness at A_i
                        ; where v \in D_{10} \otimes D_4 \otimes D_1
                                                                                                                                                Proof: see[1] and [2].
                                                                                                                                               Now by using \sigma_2 we can also define
Z_{32}^{(2)}yZ_{21}^{(5)}x(v) \mapsto \frac{1}{20}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(2)}\partial_{31}(v) - \frac{1}{5}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(4)}(v)
                                                                                                                                                \partial_3: A_3 \longrightarrow A_2 by \partial_3 = \delta_{A_2A_2} + \sigma_2 \circ \delta_{A_2B_2}
; where v \in D_{11} \otimes D_3 \otimes D_1

• Z_{32}^{(2)} y Z_{21}^{(6)} x(v) \mapsto \frac{1}{60} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(3)} \partial_{31}(v) - \frac{1}{6} Z_{32} y Z_{31} z \partial_{21}^{(5)}(v)
                                                                                                                                                Proposition(3.3): \partial_2 \circ \partial_3 = 0
                                                                                                                                                Proof: The same way used in proposition (3.1). \Box
                                                                                                                                                We need to define \sigma_3: B_3 \longrightarrow A_3 which satisfying
                         ; where v \in D_{12} \otimes D_2 \otimes D_1
                                                                                                                                                 \delta_{B_1A_2} + \sigma_2 \circ \delta_{B_2B_2} = (\delta_{A_2A_2} + \sigma_2 \circ \delta_{A_2B_2}) \circ \sigma_2
                                                                                                                                                                                                                                                                             (3.3)
Z_{32}^{(2)}yZ_{21}^{(7)}x(v) \mapsto \frac{1}{105}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(4)}\partial_{31}(v) - \frac{1}{7}Z_{32}yZ_{31}z\partial_{21}^{(6)}(v)
                                                                                                                                                                                                                                                                As follows
                                                                                                                                                • Z_{21}yZ_{21}xZ_{21}x(v) \mapsto 0 ; where v \in D_9 \otimes D_3 \otimes D_3
                   ; where v \in D_{13} \otimes D_1 \otimes D_1
• Z_{32}^{(2)}yZ_{21}^{(8)}x(v) \mapsto \frac{1}{42}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(5)}\partial_{31}(v); where
                                                                                                                                                • Z_{21}^{(2)}xZ_{21}xZ_{21}x(v) \mapsto 0 ; where
                                                                                                                                                                                                                                          v \in D_{10} \otimes D_2 \otimes D_3
                                                                                                                                                • Z_{21}xZ_{21}^{(2)}xZ_{21}x(v) \mapsto 0 ; where
                                                                                                                                                                                                                                            v \in D_{10} \otimes D_2 \otimes D_3
\begin{array}{l} v \in D_{14} \otimes D_0 \otimes D_1 \\ \bullet \ Z_{32}^{(3)} y Z_{21}^{(4)} x(v) \mapsto \frac{1}{3} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)}(v) \end{array}
                                                                                                                                                • Z_{21}xZ_{21}xZ_{21}^{(2)}x(v) \mapsto 0; where
                                                                                                                                                                                                                                  v \in D_{10} \otimes D_2 \otimes D_3
                                                                                                                                                • Z_{21}^{(3)}xZ_{21}xZ_{21}x(v) \mapsto 0; where
                                                                                                                                                                                                                                    v \in D_{11} \otimes D_1 \otimes D_3
 -\frac{1}{5}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(2)}\partial_{32}^{(2)}(v) - \frac{1}{2}Z_{32}yZ_{31}z\partial_{21}^{(3)}\partial_{32}(v); where
                                                                                                                                                • Z_{21}^{(2)} x Z_{21}^{(2)} x Z_{21} x (v) \mapsto 0; where
                                                                                                                                                                                                                                     v \in D_{11} \otimes D_1 \otimes D_3
                                                                                                                                                • Z_{21}^{(2)}xZ_{21}xZ_{21}^{(2)}x(v) \mapsto 0; where
• Z_{21}xZ_{21}^{(2)}xZ_{21}^{(2)}x(v) \mapsto 0; where
                                                                                                                                                                                                                                       v \in D_{11} \otimes D_1 \otimes D_3
v \in D_{11} \otimes D_4 \otimes D_0
\bullet Z_{22}^{(2)} y Z_{21}^{(3)} x(v) \mapsto \frac{1}{20} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{32}^{(2)}(v) - \frac{1}{4} Z_{32} y Z_{21} Z \partial_{21}^{(2)} \partial_{31}(v) \quad ;
                                                                                                                                                                                                                                       v \in D_{11} \otimes D_1 \otimes D_3
                                                                                                                                                • Z_{21}xZ_{21}^{(3)}xZ_{21}x(v) \mapsto 0; where
where v \in D_{11} \otimes D_4 \otimes D_0

\bullet Z_{32}^{(3)} y Z_{21}^{(6)} x(v) \mapsto \frac{1}{90} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{31}^{(2)}(v)
                                                                                                                                                                                                                                       v \in D_{11} \otimes D_1 \otimes D_3
                                                                                                                                                • Z_{21}xZ_{21}xZ_{21}^{(3)}x(v) \mapsto 0; where
                                                                                                                                                                                                                                        v \in D_{11} \otimes D_1 \otimes D_3
                                                                                                                                                • Z_{21}^{(4)} x Z_{21} x Z_{21} x (v) \mapsto 0; where
                                                                                                                                                                                                                                        v \in D_{12} \otimes D_0 \otimes D_3
-\frac{1}{15}Z_{32}yZ_{21}^{(2)}x\partial_{32}^{(2)}\partial_{21}^{(4)}(v) - \frac{2}{9}Z_{32}yZ_{31}z\partial_{32}\partial_{21}^{(5)}(v)
                                                                                                                                                • Z_{21}^{(3)} x Z_{21}^{(2)} x Z_{21} x(v) \mapsto 0; where
                                                                                                                                                                                                                                        v \in D_{12} \otimes D_0 \otimes D_3
                                                                                                                                                • Z_{21}^{(3)} x Z_{21} x Z_{21}^{(2)} x(v) \mapsto 0 ; where
where v \in D_{12} \otimes D_3 \otimes D_0

• Z_{32}^{(3)} y Z_{21}^{(7)} x(v) \mapsto \frac{1}{210} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{32} \partial_{31}(v)
                                                                                                                                                                                                                                         v \in D_{12} \otimes D_0 \otimes D_3
                                                                                                                                                • Z_{21}^{(2)} x Z_{21}^{(3)} x Z_{21} x(v) \mapsto 0; where
                                                                                                                                                                                                                                         v \in D_{12} \otimes D_0 \otimes D_3
                                                                                                                                                • Z_{21}^{(2)} x Z_{21}^{(2)} x Z_{21}^{(2)} x (v) \mapsto 0 ; where
                                                                                                                                                                                                                                            v\in D_{12}\otimes D_0\otimes D_3
+\frac{1}{70}Z_{32}yZ_{21}^{(2)}x\partial_{21}^{(3)}\partial_{31}^{(2)}(v) - \frac{1}{21}Z_{32}yZ_{31}z\partial_{32}\partial_{21}^{(6)}(v); where
                                                                                                                                                • Z_{21}^{(2)} x Z_{21} x Z_{21}^{(3)} x(v) \mapsto 0 ; where
                                                                                                                                                                                                                                            v\in D_{12}\otimes D_0\otimes D_3
                                                                                                                                                • Z_{21}xZ_{21}^{(4)}xZ_{21}x(v) \mapsto 0 ; where
\begin{array}{l} v \in D_{12} \otimes D_2 \otimes D_0 \\ \bullet Z_{12}^{(2)} y Z_{21}^{(0)} x(v) \mapsto \frac{1}{45} Z_{22} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{31}^{(2)}(v) - \frac{1}{9} Z_{32} y Z_{21} z \partial_{21}^{(7)} \partial_{32}(v) \end{array} \; ;
                                                                                                                                                                                                                                            v \in D_{12} \otimes D_0 \otimes D_3
                                                                                                                                                • Z_{21}xZ_{21}xZ_{21}^{(4)}x(v) \mapsto 0; where
                                                                                                                                                                                                                                          v \in D_{12} \otimes D_0 \otimes D_3
                                                                                                                                                • Z_{21}xZ_{21}^{(3)}xZ_{21}^{(2)}(v) \mapsto 0 ; where
where v \in D_{14} \otimes D_1 \otimes D_0
                                                                                                                                                                                                                                           v \in D_{12} \otimes D_0 \otimes D_3
                                                                                                                                                • Z_{21}xZ_{21}^{(2)}xZ_{21}^{(3)}x(v) \mapsto 0; where
; where v \in D_{15} \bigotimes D_0 \bigotimes D_0

• Z_{32}^{(3)} y Z_{21}^{(9)} x(v) \mapsto \frac{1}{63} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(5)} \partial_{31}^{(2)}(v)
                                                                                                                                                                                                                                           v\in D_{12}\otimes D_0\otimes D_3
                                                                                                                                                • Z_{32}yZ_{21}^{(2)}xZ_{21}x(v) \mapsto 0; where
                                                                                                                                                                                                                                      v \in D_9 \otimes D_4 \otimes D_2
• Z_{32}yZ_{32}y(v) \mapsto 0 ; where v \in D_6 \otimes D_8 \otimes D_1
                                                                                                                                                • Z_{32}yZ_{21}^{(3)}xZ_{21}x(v) \mapsto 0; where
                                                                                                                                                                                                                                       v \in D_{10} \otimes D_3 \otimes D_2
• Z_{32}yZ_{32}^{(2)}y(v) \mapsto 0 ; where v \in D_6 \otimes D_9 \otimes D_0
                                                                                                                                                • Z_{32}yZ_{21}^{(2)}xZ_{21}^{(2)}x(v) \mapsto 0; where
                                                                                                                                                                                                                                     v \in D_{10} \otimes D_3 \otimes D_2
• Z_{32}^{(2)}yZ_{32}y(v) \mapsto 0 ; where v \in D_6 \otimes D_9 \otimes D_0
                                                                                                                                                • Z_{32}yZ_{21}^{(4)}xZ_{21}x(v) \mapsto 0; where
• Z_{32}yZ_{21}^{(3)}xZ_{21}^{(2)}x(v) \mapsto 0; where
                                                                                                                                                                                                                                    v \in D_{11} \otimes D_2 \otimes D_2
           Z_{32}^{(2)}yZ_{31}z(v) \mapsto \frac{1}{2}Z_{32}yZ_{31}z\partial_{32}(v)
                                                                                                                          where
                                                                                                                                                                                                                                    v \in D_{11} \otimes D_2 \otimes D_2
v \in D_7 \otimes D_9 \otimes D_0
                                                                                                                                                • Z_{32}yZ_{21}^{(2)}xZ_{21}^{(3)}x(v) \mapsto 0; where v \in D_{11} \otimes D_2 \otimes D_2
It easy to show that \sigma_2 which is defined above satisfies the
                                                                                                                                                • Z_{32}yZ_{21}^{(5)}xZ_{21}x(v) \mapsto 0; where v \in D_{12} \otimes D_1 \otimes D_2
condition (3.2), for example we chose one of them
                                                                                                                                                • Z_{32}yZ_{21}^{(4)}xZ_{21}^{(2)}x(v) \mapsto 0; where v \in D_{12} \otimes D_1 \otimes D_2
• \left(\delta_{B_2A_1} - \sigma_1\delta_{B_2B_1}\right)\left(Z_{32}yZ_{21}^{(3)}x(v)\right); where v \in D_9 \otimes D_4 \otimes D_2
                                                                                                                                                • Z_{32}yZ_{21}^{(\overline{3})}xZ_{21}^{(\overline{3})}x(v) \mapsto 0; where v \in D_{12} \otimes D_1 \otimes D_2
 =\sigma_1\left(Z_{21}^{(3)}x\partial_{32}(v)\right)+\sigma_1\left(Z_{21}^{(2)}x\partial_{31}(v)\right)-Z_{32}y\partial_{21}^{(3)}(v)
                                                                                                                                                • Z_{32}yZ_{21}^{(2)}xZ_{21}^{(4)}x(v) \mapsto 0; where v \in D_{12} \otimes D_1 \otimes D_2
                                                                                                                                                • Z_{32}yZ_{21}^{(6)}xZ_{21}x(v) \mapsto 0; where v \in D_{13} \otimes D_0 \otimes D_2
 = \frac{1}{2} Z_{21} x \partial_{21}^{(2)} \partial_{32}(v) + \frac{1}{2} Z_{21} x \partial_{21} \partial_{31}(v) - Z_{32} y \partial_{21}^{(3)}(v)
                                                                                                                                                • Z_{32}yZ_{21}^{(5)}xZ_{21}^{(2)}x(v) \mapsto 0; where v \in D_{13} \otimes D_0 \otimes D_2
```

```
• Z_{32}yZ_{21}^{(4)}xZ_{21}^{(3)}x(v) \mapsto 0; where v \in D_{13} \otimes D_0 \otimes D_2
                                                                                                                                                             ; where v \in D_{14} \otimes D_1 \otimes D_0
• Z_{32}yZ_{21}^{(3)}xZ_{21}^{(4)}x(v)\mapsto 0 ; where v\in D_{13}\otimes D_0\otimes D_2
                                                                                                                                                           Z_{22}^{(2)}yZ_{21}^{(6)}xZ_{21}^{(2)}x(v) \mapsto -\frac{2}{3}Z_{22}yZ_{21}zZ_{21}x\partial_{21}^{(6)}\partial_{22}(v) -
• Z_{32}yZ_{21}^{(2)}xZ_{21}^{(5)}x(v) \mapsto 0; where v \in D_{13} \otimes D_0 \otimes D_2
                                                                                                                                                            \frac{7}{2}Z_{12}yZ_{11}zZ_{21}x\partial_{21}^{(5)}\partial_{21}(v)
• Z_{32}^{(2)}yZ_{21}^{(3)}xZ_{21}x(v) \mapsto 0; where v \in D_{13} \otimes D_0 \otimes D_2
• Z_{32}^{(2)}yZ_{21}^{(4)}xZ_{21}x(v) \mapsto \frac{1}{4}(Z_{32}yZ_{31}zZ_{21}x\hat{\sigma}_{21}^{(3)}(v)); where
                                                                                                                                                              ; where v \in D_{14} \otimes D_1 \otimes D_0
v \in D_{11} \otimes D_3 \otimes D_1
• Z_{32}^{(2)}yZ_{21}^{(3)}xZ_{21}^{(2)}x(v) \mapsto \frac{1}{2}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}(v))
                                                                                                                                                            Z_{12}^{(2)}yZ_{21}^{(5)}xZ_{21}^{(2)}x(v) \mapsto \frac{\pi}{2}Z_{12}yZ_{21}zZ_{21}x\partial_{21}^{(6)}\partial_{22}(v) -
                                                                                                                                ; where
                                                                                                                                                            \frac{5}{2}Z_{22}yZ_{21}zZ_{21}x\partial_{21}^{(5)}\partial_{21}(v)
v \in D_{11} \otimes D_3 \otimes D_1
• Z_{22}^{(2)}yZ_{21}^{(5)}xZ_{21}x(v) \mapsto 0 ; where v \in D_{12} \otimes D_2 \otimes D_1
                                                                                                                                                            ; where v \in D_{14} \otimes D_1 \otimes D_0
• Z_{32}^{(2)}yZ_{21}^{(4)}xZ_{21}^{(2)}x(v) \mapsto \frac{1}{2}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}(v)); where
                                                                                                                                                            Z_{22}^{(2)}yZ_{21}^{(4)}xZ_{21}^{(4)}x(v) \mapsto
v \in D_{12} \otimes D_2 \otimes D_1
• Z_{32}^{(2)}yZ_{21}^{(3)}xZ_{21}^{(3)}x(v) \mapsto \frac{2}{2} (Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}(v)); where
                                                                                                                                                            -\frac{5}{2}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}\partial_{31}(v)) - \frac{5}{2}(Z_{32}yZ_{31}zZ_{21}x\partial_{32}\partial_{31}^{(6)})
\begin{array}{ll} v \in D_{12} \otimes D_2 \otimes D_1 \\ \bullet & Z_{32}^{(2)} y Z_{21}^{(6)} x Z_{21} x(v) \longmapsto 0 \hspace{3mm} ; \hspace{3mm} \text{where} \hspace{3mm} v \in D_{13} \otimes D_1 \otimes D_1 \end{array}
                                                                                                                                                           ; where v \in D_{14} \otimes D_1 \otimes D_0
                                                                                                                                                           • Z_{32}^{(3)}yZ_{21}^{(8)}xZ_{21}x(v) \mapsto -\frac{1}{62}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(6)}\partial_{31}(v))
 \begin{array}{ll} \bullet & Z_{32}^{(2)} y Z_{21}^{(5)} x Z_{21}^{(2)} x(v) \mapsto 0 \;\; ; \;\; \text{where} \quad v \in D_{13} \otimes D_1 \otimes D_1 \\ \bullet & Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21}^{(3)} x(v) \mapsto \frac{5}{6} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)}(v) \;\; ; \;\; \text{where} \end{array} 
                                                                                                                                                           where v \in D_{15} \otimes D_0 \otimes D_0
                                                                                                                                                           \bullet Z_{32}^{(3)} y Z_{21}^{(7)} x Z_{21}^{(2)} x(v) \mapsto -\frac{4}{21} \Big( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(6)} \partial_{31}(v) \Big)
v \in D_{13} \otimes D_1 \otimes D_1
• Z_{32}^{(2)} y Z_{21}^{(3)} x Z_{21}^{(4)} x(v) \mapsto \frac{5}{6} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)}(v) ; where
                                                                                                                                                           where v \in D_{15} \otimes D_0 \otimes D_0
                                                                                                                                                            • Z_{32}^{(3)}yZ_{21}^{(6)}xZ_{21}^{(3)}x(v) \mapsto -\frac{16}{9} \left( Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(6)}\partial_{31}(v) \right)
v \in D_{13} \otimes D_1 \otimes D_1
• Z_{32}^{(2)}yZ_{21}^{(7)}xZ_{21}x(v) \mapsto -\frac{1}{7}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(6)}(v); where
                                                                                                                                                           where v \in D_{15} \otimes D_0 \otimes D_0

• Z_{32}^{(3)} y Z_{21}^{(5)} x Z_{21}^{(4)} x(v) \mapsto -\frac{5}{6} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(6)} \partial_{31}(v)
\begin{array}{ll} v \in D_{14} \otimes D_0 \otimes D_1 \\ \bullet & Z_{32}^{(2)} y Z_{21}^{(6)} x Z_{21}^{(2)} x(v) \mapsto -\frac{1}{2} Z_{32} y Z_{31} z Z_{21} x Z_{21}^{(6)}(v) \end{array} \; ; \quad \text{where} \quad \end{array}
                                                                                                                                                           where v \in D_{15} \otimes D_0 \otimes D_0
v \in D_{14} \otimes D_0 \otimes D_1

• Z_{32}^{(2)} y Z_{21}^{(5)} x Z_{21}^{(3)} x(v) \mapsto Z_{32} y Z_{31} z Z_{21} x Z_{21}^{(6)}(v) ;
                                                                                                                                                           \bullet Z_{32}^{(3)} y Z_{21}^{(4)} x Z_{21}^{(5)} x(v) \mapsto -\frac{5}{2} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{32} \partial_{21}^{(7)}(v) \right)
                                                                                                                                                           where v \in D_{15} \otimes D_0 \otimes D_0

• Z_{32}yZ_{32}yZ_{21}^{(3)}x(v) \mapsto 0 ; where
v \in D_{14} \otimes D_0 \otimes D_1
 \begin{array}{l} \bullet \ Z_{32}^{(2)} y Z_{21}^{(4)} x Z_{21}^{(4)} x(v) \mapsto 0 \quad ; \ \text{where} \quad v \in D_{14} \otimes D_0 \otimes D_1 \\ \bullet \ Z_{32}^{(2)} y Z_{21}^{(3)} x Z_{21}^{(5)} x(v) \mapsto 0 \quad ; \ \text{where} \quad v \in D_{14} \otimes D_0 \otimes D_1 \\ \end{array} 
                                                                                                                                                                                                                                                      v \in D_9 \otimes D_5 \otimes D_1
                                                                                                                                                           • Z_{32}yZ_{32}yZ_{21}^{(4)}x(v) \mapsto 0 ; where
                                                                                                                                                                                                                                                        v \in D_{10} \otimes D_4 \otimes D_1
                                                                                                                                                           • Z_{32}yZ_{32}yZ_{21}^{(5)}x(v) \mapsto -\frac{1}{10}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}(v))
• Z_{32}^{(3)}yZ_{21}^{(4)}xZ_{21}x \mapsto \frac{1}{6}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}\partial_{31}(v)); where
                                                                                                                                                           where v \in D_{11} \otimes D_3 \otimes D_1
v \in D_{11} \otimes D_4 \otimes D_0
                                                                                                                                                            • Z_{32}yZ_{32}yZ_{21}^{(6)}x(v) \mapsto -\frac{1}{15}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}(v))
Z_{22}^{(2)}yZ_{21}^{(5)}xZ_{21}x(v) \mapsto
                                                                                                                                                           where v \in D_{12} \otimes D_2 \otimes D_1

\bullet Z_{32}yZ_{32}yZ_{21}^{(7)}x(v) \mapsto -\frac{1}{21} \left(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}(v)\right)
\frac{4}{3}Z_{12}yZ_{11}zZ_{21}x\partial_{12}\partial_{11}^{(4)}(v) - \frac{1}{3}Z_{12}yZ_{11}zZ_{21}x\partial_{21}^{(2)}\partial_{11}(v)
                                                                                                                                                           \begin{array}{ll} \text{where} \ v \in D_{12} \otimes D_1 \otimes D_1 \\ \bullet Z_{32} y Z_{32} y Z_{21}^{(8)} x(v) \longmapsto 0 \ ; \ \text{where} \quad v \in D_{14} \otimes D_0 \otimes D_1 \end{array}
; where v \in D_{12} \otimes D_3 \otimes D_0
• Z_{22}^{(2)}yZ_{21}^{(4)}xZ_{21}^{(2)}x(v) \mapsto \frac{1}{2} (Z_{22}yZ_{21}zZ_{21}x\partial_{21}^{(2)}\partial_{21}(v))
                                                                                                                              ; where
                                                                                                                                                            • Z_{32}yZ_{32}yZ_{32}y(v) \mapsto 0; where v \in D_6 \otimes D_9 \otimes D_0
v \in D_{12} \otimes D_2 \otimes D_n
                                                                                                                                                           • Z_{32}^{(2)}yZ_{32}yZ_{21}^{(4)}x(v) \mapsto -\frac{1}{2}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}\partial_{32}(v))
Z_{22}^{(2)}yZ_{21}^{(6)}xZ_{21}x(v) \mapsto
                                                                                                                                                           where v \in D_{10} \otimes D_5 \otimes D_0
-\frac{1}{2}\left(Z_{22}yZ_{21}zZ_{21}x\partial_{21}^{(4)}\partial_{21}(v)\right) - \frac{1}{2}\left(Z_{22}yZ_{21}zZ_{21}x\partial_{22}\partial_{21}^{(5)}(v)\right)
                                                                                                                                                           Z_{32}^{(2)}yZ_{32}yZ_{21}^{(5)}x(v) \mapsto \frac{1}{20} \left(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{32}(v)\right) -
; where v \in D_{13} \otimes D_2 \otimes D_0
                                                                                                                                                           \frac{1}{6} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(2)} \partial_{31}(v) \right)
Z_{17}^{(2)}yZ_{21}^{(5)}xZ_{21}^{(2)}x(v) \mapsto
                                                                                                                                                           ; where v \in D_{11} \otimes D_4 \otimes D_0
\frac{1}{8} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)} \partial_{32}(v) \right) - \frac{z}{18} Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)} \partial_{31}(v)
                                                                                                                                                           Z_{32}^{(2)}yZ_{32}yZ_{21}^{(6)}x(v) \mapsto -\frac{7}{60}\left(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{31}(v)\right) -
; where v \in D_{12} \otimes D_2 \otimes D_0
                                                                                                                                                           \frac{1}{10} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)} \partial_{32}(v) \right)
Z_{22}^{(2)}yZ_{21}^{(4)}xZ_{21}^{(2)}x(v) \mapsto
-\frac{1}{2}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{31}) - \frac{1}{2}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}\partial_{32})
                                                                                                                                                           ; where v \in D_{12} \otimes D_2 \otimes D_0
                                                                                                                                                           • Z_{32}^{(2)}yZ_{32}yZ_{21}^{(7)}x(v) \mapsto \frac{1}{210} (Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{31}(v))
  ; where v \in D_{13} \otimes D_2 \otimes D_0
                                                                                                                                                           where v \in D_{12} \otimes D_2 \otimes D_0
Z_{22}^{(1)}yZ_{21}^{(7)}xZ_{21}x(v) \mapsto \frac{s}{ez} (Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(6)}\partial_{32}(v)) -
\frac{1}{12}Z_{22}yZ_{21}zZ_{21}x\partial_{21}^{(5)}\partial_{21}(v)
```

```
Z_{32}^{(2)}yZ_{32}yZ_{21}^{(8)}x(v) \mapsto \frac{1}{42} (Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}\partial_{31}(v)) -
\frac{1}{21} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(6)} \partial_{32}(v) \right)
; where v \in D_{14} \otimes D_1 \otimes D_0

• Z_{32}^{(2)} y Z_{32} y Z_{21}^{(9)} x(v) \mapsto 0 ; where v \in D_{15} \otimes D_0 \otimes D_0
  • Z_{32}yZ_{32}^{(2)}yZ_{21}^{(4)}x(v) \mapsto -\frac{1}{2}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}\partial_{32}(v))
where v \in D_{10} \otimes D_5 \otimes D_0
 • Z_{32}yZ_{32}^{(2)}yZ_{21}^{(5)}x(v) \mapsto -\frac{1}{6} \left( Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}\partial_{31}(v) \right)
 where v \in D_{11} \otimes D_4 \otimes D_0
Z_{32}yZ_{32}^{(2)}yZ_{21}^{(6)}x(v) \mapsto -\frac{1}{6}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{31}(v)) -
\frac{2}{15}Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{32}(v)
  ; where v \in D_{12} \otimes D_2 \otimes D_0
Z_{32}yZ_{32}^{(2)}yZ_{21}^{(7)}x(v) \mapsto -\frac{1}{25}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{31}(v)) -
  \frac{1}{42} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(5)} \partial_{32}(v) \right)
; where v \in D_{13} \otimes D_2 \otimes D_0

• Z_{32}yZ_{32}^{(2)}yZ_{21}^{(8)}x(v) \mapsto -\frac{1}{21}\Big(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(6)}\partial_{32}(v)\Big)
\begin{array}{ll} \text{where } v \in D_{14} \otimes D_1 \otimes D_0 \\ \bullet \ Z_{32} y Z_{32}^{(2)} y Z_{21}^{(9)} x(v) \longmapsto 0 \quad ; \quad \text{where } \quad v \in D_{15} \otimes D_0 \otimes D_0 \\ \bullet \ Z_{32} y Z_{31} z Z_{21}^{(2)} x(v) \longmapsto \frac{1}{2} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}(v) \right) \quad ; \quad \text{where } \quad v \in D_{15} \otimes D_0 \otimes D_0 \\ \bullet \ Z_{32} y Z_{31} z Z_{21}^{(2)} x(v) \longmapsto \frac{1}{2} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}(v) \right) \quad ; \quad \text{where } \quad v \in D_{15} \otimes D_0 \otimes D_0 \\ \bullet \ Z_{32} y Z_{31} z Z_{21}^{(2)} x(v) \longmapsto \frac{1}{2} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}(v) \right) \quad ; \quad \text{where } \quad v \in D_{15} \otimes D_0 \otimes D_0 \\ \bullet \ Z_{32} y Z_{31} z Z_{21}^{(2)} x(v) \longmapsto \frac{1}{2} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}(v) \right) \quad ; \quad \text{where } \quad v \in D_{15} \otimes D_0 \otimes D_0 \\ \bullet \ Z_{32} y Z_{31} z Z_{21}^{(2)} x(v) \longmapsto \frac{1}{2} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}(v) \right) \quad ; \quad \text{where } \quad v \in D_{15} \otimes D_0 \otimes 
v \in D_9 \otimes D_5 \otimes D_1
• Z_{32}yZ_{31}zZ_{21}^{(3)}x(v) \mapsto \frac{1}{2} (Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(2)}(v))
                                                                                                                                                                                                                                                      ; where
v \in D_{10} \otimes D_4 \otimes D_1
• Z_{32}yZ_{31}zZ_{21}^{(4)}x(v) \mapsto \frac{1}{10} \left( Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}(v) \right)
v \in D_{11} \otimes D_3 \otimes D_1
• Z_{32}yZ_{31}zZ_{21}^{(5)}x(v) \mapsto \frac{1}{15} (Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}(v)); where
v \in D_{12} \otimes D_2 \otimes D_1
• Z_{32}yZ_{31}zZ_{21}^{(6)}x(v) \mapsto \frac{1}{21} \left( Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}(v) \right); where
v \in D_{13} \otimes D_1 \otimes D_1
• Z_{32}yZ_{31}zZ_{21}^{(7)}x(v) \mapsto \frac{1}{7}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(6)}(v));
                                                                                                                                                                                                                                                                      where
v \in D_{14} \otimes D_0 \otimes D_1
Z_{32}^{(2)}yZ_{31}zZ_{21}^{(2)}x(v) \mapsto \frac{1}{6}(Z_{32}yZ_{31}zZ_{21}x\partial_{32}\partial_{21}(v)) +
\frac{1}{6}(Z_{32}yZ_{31}zZ_{21}x\partial_{31}(v))
       ; where v \in D_0 \otimes D_6 \otimes D_0
Z_{22}^{(2)}yZ_{31}zZ_{21}^{(3)}x(v) \mapsto \frac{1}{\epsilon}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}\partial_{31}(v)) +
\frac{1}{9} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(2)} \partial_{32}(v) \right)
    ; where v \in D_{10} \otimes D_5 \otimes D_0
  • Z_{32}^{(2)}yZ_{31}zZ_{21}^{(4)}x(v) \mapsto \frac{1}{20} \left(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(3)}\partial_{32}(v)\right)
where v \in D_{11} \otimes D_4 \otimes D_0
Z_{22}^{(2)}yZ_{31}zZ_{21}^{(5)}x(v) \mapsto -\frac{1}{60}(Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(4)}\partial_{32}(v)) -
   \frac{1}{12} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{32} \partial_{21}^{(2)}(v) \right)
```

; where $v \in D_{12} \otimes D_2 \otimes D_0$

```
• Z_{32}^{(2)} y Z_{31} z Z_{21}^{(6)} x(v) \mapsto \frac{1}{25} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(4)} \partial_{31}(v) \right); where
                     Z_{32}^{(2)}yZ_{31}zZ_{21}^{(7)}x(v) \mapsto \frac{1}{18} (Z_{32}yZ_{31}zZ_{21}x\partial_{21}^{(5)}\partial_{31}(v)) -
                       \frac{2}{62} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(6)} \partial_{32}(v) \right)
; where v \in D_{14} \otimes D_1 \otimes D_0

• Z_{32}^{(2)} y Z_{31} z Z_{21}^{(8)} x(v) \mapsto \frac{1}{21} \left( Z_{32} y Z_{31} z Z_{21} x \partial_{21}^{(6)} \partial_{31}(v) \right)
                     where v \in D_{15} \otimes D_0 \otimes D_0

\bullet \left( Z_{32} y Z_{32} y Z_{31} x(v) \right) \mapsto 0 ; where v \in D_7 \otimes D_8 \otimes D_0
                      Again we can show that \sigma_2 which defined above satisfies the
                      condition (3.3), and here we chose one of them as an example
                       \begin{aligned} & \bullet \left( \delta_{x_{2} A_{2}} + \sigma_{z} \delta_{x_{2} B_{2}} \right) \left( Z_{12}^{(2)} y Z_{11}^{(4)} x Z_{21}^{(2)} \right) & ; \text{ where } v \in I \\ & = \sigma_{z} \left( Z_{11}^{(4)} x Z_{11}^{(2)} x \partial_{12}^{(2)}(v) \right) + \sigma_{z} \left( Z_{11}^{(4)} x Z_{21} x \partial_{22} \partial_{21}(v) \right) + \end{aligned} 
                                                                                                                                                                                      ; where v \in D_{12} \otimes D_2 \otimes D_1
                      \sigma_{z}\left(Z_{z1}^{(2)}xZ_{z1}^{(2)}x\partial_{zz}\partial_{z1}(v)\right) + \sigma_{z}\left(Z_{z1}^{(2)}xZ_{z1}x\partial_{z2}\partial_{z1}(v)\right) +
                      \sigma_{z}\left(Z_{21}^{(2)}xZ_{21}^{(2)}x\partial_{21}^{(2)}(v)\right) - \sigma_{z}\left(15Z_{22}^{(2)}yZ_{21}^{(6)}x(v)\right) +
                      \sigma_{z} \left( Z_{1}^{(2)} y Z_{1}^{(4)} x \partial_{1}^{(2)} (v) \right)
                     = \frac{-15}{60} Z_{22} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{21}(v) + \frac{15}{60} Z_{22} y Z_{21} z \partial_{21}^{(5)}(v) + \frac{1}{12} Z_{22} y Z_{21}^{(2)} x \partial_{21}^{(1)} \partial_{22} \partial_{21}^{(2)}(v) + \frac{1}{4} Z_{32} y Z_{21}^{(2)} x \partial_{21} \partial_{21}^{(2)} \partial_{21}(v)
                     = \frac{-1}{4} Z_{22} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{21}(v) + \frac{5}{2} Z_{22} y Z_{21} z \partial_{21}^{(5)}(v) + \frac{1}{2} Z_{22} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{21}(v) + \frac{1}{2} Z_{22} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{21}(v) + \frac{1}{2} Z_{22} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{21}(v) + \frac{1}{2} Z_{22} y Z_{21}^{(4)} \partial_{21}^{(4)} \partial_
                     = \tfrac{s}{2} Z_{32} y Z_{31} z \, \partial_{21}^{(s)}(v) + \tfrac{1}{2} Z_{32} y Z_{21}^{(2)} x \, \partial_{21}^{(4)} \partial_{32}(v) + \tfrac{1}{2} Z_{32} y Z_{21}^{(2)} x \, \partial_{21}^{(2)} \partial_{31}(v)
                      \left(\delta_{A_{2}A_{3}} + \sigma_{2} \delta_{A_{2}B_{3}}\right)\left(\frac{1}{2}Z_{22}yZ_{21}zZ_{21}x\partial_{21}^{(4)}(v)\right)
                     -\frac{1}{\sigma_2} \left( -\frac{1}{2} Z_{21} x Z_{21} x \partial_{22}^{(2)} \partial_{21}^{(4)}(v) \right) + \frac{1}{2} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{31}(v) + \frac{1}{2} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{31}(v) - \sigma_2 \left( \frac{1}{2} Z_{22} y Z_{32} y \partial_{21}^{(2)} \partial_{21}^{(4)}(v) \right) + \frac{5}{2} Z_{32} y Z_{31} z \partial_{21}^{(5)}(v) 
                        = \frac{5}{2} Z_{32} y Z_{31} z \partial_{21}^{(5)}(v) + \frac{1}{2} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(4)} \partial_{32}(v) + \frac{1}{2} Z_{32} y Z_{21}^{(2)} x \partial_{21}^{(2)} \partial_{31}(v)
                     So from all we have done above we the complex 0 \to A_2 \xrightarrow{\partial_2} A_2 \xrightarrow{\partial_2} A_1 \xrightarrow{\partial_1} A_0 (3.4)
                      Where \partial_i defined as follows:
                       • \partial_2(Z_{21}x(v)) = \partial_{21}(v); with v \in D_7 \otimes D_5 \otimes D_3
                       • \partial_2(Z_{32}y(v)) = \partial_{32}(v); with v \in D_6 \otimes D_7 \otimes D_2
                     \partial_2 \left( Z_{32} y Z_{21}^{(2)} x(v) \right) = \frac{1}{2} Z_{21} x \partial_{21} \partial_{32} (v) + Z_{21} x \partial_{31} (v) -
                      Z_{22}y\partial_{21}^{(2)}(v); with v \in D_9 \otimes D_5 \otimes D_2
                     \partial_2(Z_{32}yZ_{31}z(v)) = \frac{1}{2}Z_{32}y\partial_{32}\partial_{21}(v) + Z_{21}x\partial_{32}^{(2)}(v) -
                      Z_{22}y\partial_{22}^{(2)}(v); with v \in D_7 \otimes D_7 \otimes D_1
                     and the map \partial_2 defined as:
                       \partial_2 (Z_{32}yZ_{31}zZ_{21}x(v)) =
                       Z_{32}yZ_{21}^{(2)}x\partial_{32}(v) + Z_{32}yZ_{31}z\partial_{21}(v); with v \in D_9 \otimes D_6 \otimes D_1
```

Proposition (3.4).

The complex $0 \longrightarrow A_2 \xrightarrow{\partial_2} A_2 \xrightarrow{\partial_2} A_1 \xrightarrow{\partial_1} A_0 \longrightarrow K_{(6,6,3)}$

is exact

Proof: see [1] and [2].□

REFERENCES

- D. A. Buchsbaum, (2004) Characteristic free example of Lascoux resolution and Letter Place methods for intertwining numbers, European Journal of Gombinatorics, Vol. 25, pp.1169-1179.
- [2] Haytham R. Hassan, (2006), Application of the characteristic free resolution of Weyl module to the Lascoux resolution in the case (3,3,3). Ph. D. thesis, Universita di Roma "Tor Vergata".
- [3] D. A. Buchsbaum and G. C. Rota, (2001), Approaches to Resolution of Weyl modules, Adv. In applied math. 27, pp.82-191.
- [4] D. A. Buchsbaum and G. C. Rota, (1994), A new construction in Homological Algebra, Natlacad. Sci, USA 91, 4115-4119.
- [5] K. Akin, D. A. Buchsbaum and J. Weyman, (1982), Schur functors and Schur complexes, Adv. Math. 44, pp.207-278.
- [6] L. R Vermani, An elementary approach to homological algebra, chapman pplied mathematics 130.
- [7] C. De Concini, D. Eisenbud and C. Procesi, Young diagrams and Determintal varieties, Inveent. Math. 59, 129-165 (1980).
- [8] D. A Buchsbaum, Resolution of Weyl modules: The Rota touch, Algebraic Combinatorics and Computer Science, 97-109 (2001).